SC Labs®

Hemp Testing
CERTIFICATE OF ANALYSIS

DATE ISSUED 11/20/2026

SAMPLE DETAILS

SAMPLE NAME: Relief Full Spectrum CBD Cooling Cream

Infused, Hemp

CLIENT

Business Name: Aspen Green
License Number:
Address: 830 A1A N Suite 620
Ponte Vedra Beach FL 32082



SAMPLE DETAIL

Batch Number: AG-2610-RCC
Sample ID: 261116P009

Date Collected: 11/16/2026
Date Received: 11/16/2026
Batch Size:
Sample Size:
Unit Mass:
Serving Size:

Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: 0.546 mg/g

Total CBD: 17.639 mg/g

Sum of Cannabinoids: 20.678 mg/g


Total Cannabinoids: 20.678 mg/g

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:
Total THC = Δ^9-THC + (THCa (0.877))
Total CBD = CBD + (CBDa (0.877))
Sum of Cannabinoids = Δ^9-THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8-THC + CBN + CBNa
Total Cannabinoids = (Δ^9-THC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + (CBDV+0.877*CBDVa) + Δ^8-THC + (CBN+0.877*CBNa)

TERPENOID ANALYSIS - SUMMARY

20 TESTED, TOP 3 HIGHLIGHTED

Total Terpenoids: 0.0964%



γ-Terpinene 0.437 mg/g | α-Terpinene 0.291 mg/g | Terpinolene 0.074 mg/g

SAFETY ANALYSIS - SUMMARY

Pesticides: ND
Mycotoxins: PASS
Residual Solvents: ND
Heavy Metals: PASS
Microbiology (PCR): ND
Microbiology (Plating): ND

These results relate only to the sample included on this report.
This report shall not be reproduced, except in full, without written approval of the laboratory.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), µg/g = ppm, µg/kg = ppb, too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

Approved by: Sam Schumann
Laboratory Director
Date: 11/20/2026

© 2026 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: (GLB-TM-14) Cannabinoid Potency Determination

TOTAL THC: 0.546 mg/g

Total THC (Δ^9-THC+0.877*THCa)

TOTAL CBD: 17.639 mg/g

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 20.678 mg/g

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8-THC + (Total CBN)

TOTAL CBG: 0.598 mg/g

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: <LOQ

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 1.065 mg/g

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 0.281 mg/g

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 11/18/2026

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	*0.025 / 0.533*	*±1.1818*	17.639	1.7639
CBC	*0.003 / 0.208*	*±0.0756*	1.065	0.1065
CBG	*0.014 / 0.117*	*±0.0207*	0.598	0.0598
CBN	*0.009 / 0.155*	*±0.0283*	0.549	0.0549
Δ^9-THC	*0.001 / 0.089*	*±0.0388*	0.546	0.0546
CBDV	*0.019 / 0.125*	*±0.0225*	0.281	0.0281
THCV	*0.010 / 0.107*	*N/A*	<LOQ	<LOQ
Δ^8-THC	*0.008 / 0.587*	*N/A*	ND	ND
THCa	*0.004 / 0.079*	*N/A*	ND	ND
THCVa	*0.008 / 0.416*	*N/A*	ND	ND
CBDa	*0.030 / 0.547*	*N/A*	ND	ND
CBDVa	*0.009 / 0.229*	*N/A*	ND	ND
CBGa	*0.010 / 0.493*	*N/A*	ND	ND
CBCa	*0.010 / 0.189*	*N/A*	ND	ND
CBNa	*0.008 / 0.336*	*N/A*	ND	ND
SUM OF CANNABINOIDS			20.678 mg/g	2.0678%

Terpenoid Analysis

Terpene analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: (GLB-TM-22) Terpene Determination - Hydrogen Carrier

1 **γ-Terpinene**
One of four isomers of the monoterpene Terpinene. It has a fragrance that can be described as sweet, spicy, tropical, woody and oily with a hint of citrus. Found in marjoram, cardamom, tea tree, bible hyssop...etc.

Exclusions[1] see last page

TERPENOID TEST RESULTS - 11/19/2026

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
γ-Terpinene	*0.002737 / 0.009123*	*±0.0169*	0.437	0.0437
α-Terpinene	*0.001843 / 0.006143*	*±0.0118*	0.291	0.0291
Terpinolene	*0.003272 / 0.010907*	*±0.0033*	0.074	0.0074
Eucalyptol	*0.002675 / 0.008916*	*±0.0022*	0.066	0.0066
α-Pinene	*0.015278 / 0.050926*	*±0.0033*	0.053	0.0053
p-Cymene	*0.004111 / 0.013704*	*±0.0022*	0.043	0.0043
α-Bisabolol	*0.020104 / 0.067014*	*N/A*	<LOQ	<LOQ
β-Caryophyllene	*0.001842 / 0.006141*	*N/A*	<LOQ	<LOQ
Isopulegol	*0.011287 / 0.037623*	*N/A*	<LOQ	<LOQ
Limonene	*0.009183 / 0.030611*	*N/A*	<LOQ	<LOQ
Myrcene	*0.008116 / 0.027054*	*N/A*	<LOQ	<LOQ
α-Humulene	*0.005666 / 0.018888*	*N/A*	ND	ND
β-Ocimene	*0.002721 / 0.00907*	*N/A*	ND	ND

Continued on next page

© 2026 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Terpenoid Analysis *Continued*

2 α-Terpinene
One of four isomers of the monoterpene Terpinene. It has a fragrance that can be described as citrusy, herbal, woody, piney with a hint of spice. Found in marjoram, cardamom, tea tree, bible hyssop...etc.

3 Terpinolene
Also known as δ-terpinene, it is of four isomers of the monoterpene Terpinene. It has a fragrance that can be described as fresh, woody, piney, herbal with a hint of lemon. Found in conifers, cumin, apple, rosemary, sage, tea tree, lilac, nutmeg...etc.

TERPENOID TEST RESULTS - 11/19/2026 *continued*

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
β-Pinene	*0.01501 / 0.050033*	*N/A*	ND	ND
Camphene	*0.014487 / 0.048289*	*N/A*	ND	ND
Caryophyllene Oxide	*0.034955 / 0.116518*	*N/A*	ND	ND
Δ^3-Carene	*0.003547 / 0.011824*	*N/A*	ND	ND
Geraniol	*0.021008 / 0.070027*	*N/A*	ND	ND
Linalool	*0.007581 / 0.025268*	*N/A*	ND	ND
Nerolidol	*0.002991 / 0.009971*	*N/A*	ND	ND
TOTAL TERPENOIDS			**0.964 mg/g**	**0.0964%**

Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: (GLB-TM-17) Pesticide Analysis by LC-MS & GC-MS

PESTICIDE TEST RESULTS - 11/18/2026 **ND**

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Abamectin	*0.224 / 0.746*	*N/A*	ND
Acephate	*0.005 / 0.016*	*N/A*	ND
Acetamiprid	*0.008 / 0.025*	*N/A*	ND
Azoxystrobin	*0.004 / 0.015*	*N/A*	ND
Bifenazate	*0.002 / 0.008*	*N/A*	ND
Boscalid	*0.015 / 0.050*	*N/A*	ND
Carbaryl	*0.022 / 0.074*	*N/A*	ND
Carbofuran	*0.002 / 0.007*	*N/A*	ND
Chlorantraniliprole	*0.017 / 0.057*	*N/A*	ND
Chlorpyrifos	*0.006 / 0.020*	*N/A*	ND
Clofentezine	*0.003 / 0.009*	*N/A*	ND
Diazinon	*0.003 / 0.01*	*N/A*	ND
Dichlorvos (DDVP)	*0.218 / 0.728*	*N/A*	ND
Dimethoate	*0.002 / 0.007*	*N/A*	ND
Ethoprophos	*0.014 / 0.047*	*N/A*	ND
Etofenprox	*0.007 / 0.024*	*N/A*	ND
Etoxazole	*0.009 / 0.030*	*N/A*	ND
Fenoxycarb	*0.005 / 0.018*	*N/A*	ND
Fenpyroximate	*0.007 / 0.022*	*N/A*	ND
Fipronil	*0.028 / 0.094*	*N/A*	ND
Flonicamid	*0.004 / 0.015*	*N/A*	ND
Fludioxonil	*0.006 / 0.021*	*N/A*	ND
Hexythiazox	*0.015 / 0.048*	*N/A*	ND
Imazalil	*0.010 / 0.034*	*N/A*	ND
Imidacloprid	*0.009 / 0.031*	*N/A*	ND
Kresoxim-methyl	*0.016 / 0.054*	*N/A*	ND

Continued on next page

© 2026 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 11/18/2026 *continued* **ND**

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Malathion	*0.011 / 0.037*	*N/A*	ND
Metalaxyl	*0.003 / 0.009*	*N/A*	ND
Methiocarb	*0.006 / 0.019*	*N/A*	ND
Methomyl	*0.002 / 0.006*	*N/A*	ND
MGK-264	*0.017 / 0.055*	*N/A*	ND
Myclobutanil	*0.015 / 0.051*	*N/A*	ND
Naled	*0.008 / 0.027*	*N/A*	ND
Oxamyl	*0.002 / 0.008*	*N/A*	ND
Paclobutrazol	*0.004 / 0.012*	*N/A*	ND
Permethrin	*0.021 / 0.069*	*N/A*	ND
Phosmet	*0.005 / 0.018*	*N/A*	ND
Propoxur	*0.003 / 0.011*	*N/A*	ND
Pyridaben	*0.011 / 0.035*	*N/A*	ND
Spinosad	*0.013 / 0.043*	*N/A*	ND
Spiromesifen	*0.023 / 0.076*	*N/A*	ND
Spirotetramat	*0.003 / 0.011*	*N/A*	ND
Spiroxamine	*0.014 / 0.046*	*N/A*	ND
Tebuconazole	*0.013 / 0.042*	*N/A*	ND
Thiacloprid	*0.004 / 0.012*	*N/A*	ND
Thiamethoxam	*0.004 / 0.012*	*N/A*	ND
Trifloxystrobin	*0.003 / 0.011*	*N/A*	ND

Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: (GLB-TM-18) Mycotoxins Contamination Determination in Concentrates

MYCOTOXIN TEST RESULTS - 11/19/2026 PASS

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (µg/kg)	MEASUREMENT UNCERTAINTY (µg/kg)	RESULT (µg/kg)	RESULT
Aflatoxin B1	*0.805 / 2.684*	*5*	*N/A*	ND	PASS
Aflatoxin B2	*0.634 / 2.114*		*N/A*	ND	
Aflatoxin G1	*0.350 / 1.167*		*N/A*	ND	
Aflatoxin G2	*0.354 / 1.181*		*N/A*	ND	
Ochratoxin A	*0.724 / 2.412*	*5*	*N/A*	ND	PASS
Total Aflatoxin		*20*		ND	PASS

© 2026 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: (GLB-TM-41) Residual Solvents

Total Xylenes = 1,2-Dimethylbenzene (o-Xylene) + 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)

RESIDUAL SOLVENTS TEST RESULTS - 11/18/2026 **ND**

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Propane	*112.240 / 340.121*	*N/A*	ND
n-Butane	*86.881 / 263.277*	*N/A*	ND
n-Pentane	*77.739 / 235.572*	*N/A*	ND
n-Hexane	*3.999 / 12.119*	*N/A*	ND
n-Heptane	*67.161 / 203.518*	*N/A*	ND
Benzene	*0.150 / 0.456*	*N/A*	ND
Toluene	*12.223 / 37.039*	*N/A*	ND
Anisole	*64.757 / 196.232*	*N/A*	ND
Total Xylenes	*56.601 / 171.517*		ND
Methanol	*50.908 / 154.265*	*N/A*	ND
Ethanol	*74.950 / 227.121*	*N/A*	ND
1-Propanol	*68.338 / 207.086*	*N/A*	ND
2-Propanol (Isopropyl Alcohol)	*75.582 / 229.037*	*N/A*	ND
1-Butanol	*69.007 / 209.112*	*N/A*	ND
2-Butanol	*65.230 / 197.665*	*N/A*	ND
1-Pentanol	*64.211 / 194.580*	*N/A*	ND
2-Methyl-1-Propanol (Isobutanol)	*65.613 / 198.829*	*N/A*	ND
3-Methyl-1-Butanol	*61.716 / 187.019*	*N/A*	ND
Acetone	*80.865 / 245.047*	*N/A*	ND
Methyl Ethyl Ketone	*73.367 / 222.326*	*N/A*	ND
Ethyl Ether	*69.812 / 211.551*	*N/A*	ND
tert-Butylmethyl Ether	*69.889 / 211.786*	*N/A*	ND
Methyl Acetate	*71.829 / 217.663*	*N/A*	ND
Ethyl Formate	*80.389 / 243.603*	*N/A*	ND
Ethyl Acetate	*69.971 / 212.032*	*N/A*	ND
Isopropyl Acetate	*63.633 / 192.829*	*N/A*	ND
Propyl Acetate	*61.766 / 187.170*	*N/A*	ND
Isobutyl Acetate	*59.910 / 181.547*	*N/A*	ND
Butyl Acetate	*64.668 / 195.965*	*N/A*	ND
Dichloromethane (Methylene Chloride)	*0.414 / 1.254*	*N/A*	ND

© 2026 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: (GLB-TM-19) Metals Determination

HEAVY METALS TEST RESULTS - 11/19/2026 PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Arsenic	*0.0089 / 0.0393*	*1.5*	*N/A*	ND	PASS
Cadmium	*0.0131 / 0.0438*	*0.5*	*N/A*	ND	PASS
Lead	*0.0121 / 0.0404*	*0.5*	*N/A*	ND	PASS
Mercury	*0.0108 / 0.0393*	*1.5*	*N/A*	ND	PASS

Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: (GLB-TM-25) Bioburden Testing for STEC & Salmonella or (GLB-TM-37) Microbiological Detection of Pathogenic Aspergillus

MICROBIOLOGY TEST RESULTS (PCR) - 11/20/2026 **ND**

COMPOUND	RESULT
Salmonella spp.	ND
Shiga toxin-producing *Escherichia coli*	ND

Analysis conducted by Petrifilm® and plate counts of microbiological contaminants.

Method: (GLB-TM-24) Bioburden Testing for Total Yeast and Mold, (GLB-TM-26) Bioburden Testing for Total Aerobic Plate Count, (GLB-TM-27) Bioburden Testing for Total Coliforms or (GLB-TM-28) Bioburden Testing for E. coli

MICROBIOLOGY TEST RESULTS (PLATING) - 11/20/2026 **ND**

COMPOUND	RESULT (cfu/g)
Coliforms	ND
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND

NOTES

1. Exclusions: Not accredited by the CDPHE and not for official purposes

© 2026 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22