



3000mg Full Spectrum MINT

Batch ID:	AG-2011-3M	Test ID:	T000112666
Type:	Unit	Submitted:	11/30/2020 @ 08:52 AM
Test:	Potency	Started:	12/1/2020
Method:	TM14	Reported:	12/2/2020

CANNABINOID PROFILE


Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	8.70	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	4.26	76.10	2.7
Cannabidiolic acid (CBDA)	3.68	19.10	0.7
Cannabidiol (CBD)	7.84	2015.85	71.0
Delta 8-Tetrahydrocannabinol (Delta 8THC)	4.65	ND	ND
Cannabinolic Acid (CBNA)	12.06	ND	ND
Cannabinol (CBN)	5.29	ND	ND
Cannabigerolic acid (CBGA)	7.59	ND	ND
Cannabigerol (CBG)	4.25	46.94	1.7
Tetrahydrocannabivarinic Acid (THCVA)	7.41	ND	ND
Tetrahydrocannabivarin (THCV)	3.80	ND	ND
Cannabidivarinic Acid (CBDVA)	3.53	ND	ND
Cannabidivarin (CBDV)	1.90	ND	ND
Cannabichromenic Acid (CBCA)	6.67	ND	ND
Cannabichromene (CBC)	7.71	78.91	2.8
Total Cannabinoids		2236.90	78.8
Total Potential THC**		76.10	2.7
Total Potential CBD**		2032.60	71.6



NOTES:

of Servings = 1, Sample Weight=28.4g

N/A

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)
 * Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
 ** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.
 Total THC = THC + (THCa * (0.877)) and
 Total CBD = CBD + (CBDa * (0.877))
 ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

 Ryan Weems 2-Dec-2020 2:09 PM	 Greg Zimpfer 2-Dec-2020 4:32 PM
PREPARED BY / DATE	APPROVED BY / DATE


Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02




Certificate #4329.02

3000mg Full Spectrum MINT



Batch ID:	AG-2011-3M	Test ID:	T000112669
Type:	Concentrate	Submitted:	11/30/2020 @ 08:52 AM
Test:	Terpenes	Started:	12/1/2020
Method:	TM22	Reported:	12/2/2020

TERPENE PROFILE


Compound	%(w/w)	mg/g
(-)-alpha-Bisabolol	0.053	0.53
Camphene	0.000	0
delta-3-Carene	0.000	0
beta-Caryophyllene	0.188	1.88
(-)-Caryophyllene Oxide	0.020	0.2
p-Cymene	0.000	0
Eucalyptol	0.032	0.32
Geraniol	0.000	0
alpha-Humulene	0.057	0.57
(-)-Isopulegol	0.005	0.05
d-Limonene	0.019	0.19
Linalool	0.007	0.07
beta-Myrcene	0.008	0.08
cis-Nerolidol	0.000	0
trans-Nerolidol	0.015	0.15
Ocimene	0.001	0.01
beta-Ocimene	0.000	0
alpha-Pinene	0.005	0.05
(-)-beta-Pinene	0.007	0.07
alpha-Terpinene	0.001	0.01
gamma-Terpinene	0.002	0.02
Terpinolene	0.001	0.01
	0.421%	4.21

PREDOMINANT TERPENES

 NOTES:
 0

FINAL APPROVAL

 Daniel Weidensaul 2-Dec-2020 1:56 PM	 Greg Zimpfer 2-Dec-2020 4:26 PM
--	--

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

3000mg Full Spectrum MINT


Batch ID:	AG-2011-3M	Test ID:	T000112670
Type:	Concentrate	Submitted:	11/30/2020 @ 08:52 AM
Test:	Pesticides	Started:	12/1/2020
Method:	TM17	Reported:	12/2/2020

PESTICIDE RESIDUE


Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	55 - 2468	ND*	Malathion	260 - 2468	ND*
Acetamiprid	44 - 2468	ND*	Metalaxyl	36 - 2468	ND*
Abamectin	>263	ND*	Methiocarb	40 - 2468	ND*
Azoxystrobin	34 - 2468	ND*	Methomyl	52 - 2468	ND*
Bifenazate	29 - 2468	ND*	MGK 264 1	175 - 2468	ND*
Boscalid	40 - 2468	ND*	MGK 264 2	115 - 2468	ND*
Carbaryl	38 - 2468	ND*	Myclobutanil	42 - 2468	ND*
Carbofuran	38 - 2468	ND*	Naled	54 - 2468	ND*
Chlorantraniliprole	59 - 2468	ND*	Oxamyl	46 - 2468	ND*
Chlorpyrifos	31 - 2468	ND*	Paclobutrazol	40 - 2468	ND*
Clofentezine	297 - 2468	ND*	Permethrin	305 - 2468	ND*
Diazinon	269 - 2468	ND*	Phosmet	40 - 2468	ND*
Dichlorvos	>315	ND*	Prophos	325 - 2468	ND*
Dimethoate	48 - 2468	ND*	Propoxur	39 - 2468	ND*
E-Fenpyroximate	235 - 2468	ND*	Pyridaben	290 - 2468	ND*
Etofenprox	37 - 2468	ND*	Spinosad A	33 - 2468	ND*
Etoxazole	282 - 2468	ND*	Spinosad D	82 - 2468	ND*
Fenoxycarb	>38	ND*	Spiromesifen	>247	ND*
Fipronil	24 - 2468	ND*	Spirotetramat	>251	ND*
Flonicamid	54 - 2468	ND*	Spiroxamine 1	17 - 2468	ND*
Fludioxonil	>283	ND*	Spiroxamine 2	23 - 2468	ND*
Hexythiazox	31 - 2468	ND*	Tebuconazole	266 - 2468	ND*
Imazalil	252 - 2468	ND*	Thiacloprid	46 - 2468	ND*
Imidacloprid	47 - 2468	ND*	Thiamethoxam	43 - 2468	ND*
Kresoxim-methyl	41 - 2468	ND*	Trifloxystrobin	43 - 2468	ND*

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL


Taylor Brevik
 2-Dec-2020
 1:26 PM



Greg Zimpfer
 2-Dec-2020
 5:13 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.


3000mg Full Spectrum MINT

Batch ID:	AG-2011-3M	Test ID:	T000112671
Type:	Other	Submitted:	11/30/2020 @ 08:52 AM
Test:	Metals	Started:	12/1/2020
Method:	TM19	Reported:	12/2/2020


HEAVY METALS

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.081 - 8.14	ND
Cadmium	0.082 - 8.22	ND
Mercury	0.076 - 7.58	ND
Lead	0.118 - 11.80	ND

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL
Ryan Weems
2-Dec-2020
12:49 PM

PREPARED BY / DATE


Greg Zimpfer
2-Dec-2020
5:37 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

prepared for: ASPEN GREEN

26 AVONDALE LANE #216B
BEAVER CREEK, CO 81620

3000mg Full Spectrum MINT

Batch ID:	AG-2011-3M	Test ID:	T000112668
Type:	Concentrate	Submitted:	11/30/2020 @ 08:52 AM
Test:	Microbial Contaminants	Started:	12/1/2020
Method:	TM24, TM25, TM26, TM27, TM28	Reported:	12/4/2020

MICROBIAL CONTAMINANTS

Contaminant	Result (CFU/g)*
Total Aerobic Count**	None Detected
Total Coliforms**	None Detected
Total Yeast and Molds**	None Detected
E. coli	Absent
STEC and 0157 E. coli	None Detected
Salmonella	None Detected

* CFU/g = Colony Forming Unit per Gram

** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU

NOTES:


Free from visual mold, mildew, and foreign matter

TYM: None Detected

Total Aerobic: None Detected


Coliforms: None Detected

FINAL APPROVAL



Tori King
4-Dec-2020
2:24 PM

PREPARED BY / DATE



Ben Minton
4-Dec-2020
2:51 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03

3000mg Full Spectrum MINT

Batch ID:	AG-2011-3M	Test ID:	T000112667
Type:	Concentrate	Submitted:	11/30/2020 @ 08:52 AM
Test:	Residual Solvents	Started:	12/2/2020
Method:	TM04	Reported:	12/2/2020

RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
Propane	120 - 2407	*ND
Butanes (Isobutane, n-Butane)	220 - 4396	*ND
Methanol	62 - 1238	*ND
Pentane	104 - 2085	*ND
Ethanol	105 - 2103	*ND
Acetone	102 - 2050	*ND
Isopropyl Alcohol	106 - 2124	*ND
Hexane	6 - 123	*ND
Ethyl Acetate	103 - 2064	*ND
Benzene	0.2 - 4.1	*ND
Heptanes	101 - 2022	*ND
Toluene	18 - 364	*ND
Xylenes (m,p,o-Xylenes)	133 - 2661	*ND


* ND = None Detected (Defined by Dynamic Range of the method)

NOTES:
N/A

FINAL APPROVAL


Mara Miller
2-Dec-2020
2:14 PM

PREPARED BY / DATE


Greg Zimpfer
2-Dec-2020
4:29 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02