

Prepared for:

**AG-2211-BLT**

**Aspen Green**

Batch ID or Lot Number: <b>LB-O-60328</b>	Test: <b>Potency</b>	Reported: <b>11/7/22</b>	Location: 3700 Quebec St STE 100-110 Denver, CO 80207
--	-------------------------	-----------------------------	---

Matrix: Solution	Test ID: T000226697	Started: 11/7/22	USDA License: N/A
---------------------	------------------------	---------------------	----------------------

Status: Active	Method: TM14 (HPLC-DAD): Potency - Standard Cannabinoid Analysis	Received: 11/03/2022 @ 10:06 AM	Sampler ID: N/A
-------------------	--	------------------------------------	--------------------

## CANNABINOID PROFILE

Compound	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.468	1.356	ND	ND	Density = 0.945g/mL
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.528	1.530	2.839	3.00	
Cannabidiolic acid (CBDA)	0.489	1.606	<LOQ	<LOQ	
Cannabidiol (CBD)	0.477	1.566	69.404	73.44	
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.582	1.685	ND	ND	
Cannabinolic Acid (CBNA)	0.333	0.965	ND	ND	
Cannabinol (CBN)	0.152	0.441	ND	ND	
Cannabigerolic acid (CBGA)	0.488	1.414	ND	ND	
Cannabigerol (CBG)	0.117	0.338	2.700	2.86	
Tetrahydrocannabivarinic Acid (THCVA)	0.413	1.196	ND	ND	
Tetrahydrocannabivarin (THCV)	0.106	0.308	2.608	2.76	
Cannabidivarinic Acid (CBDVA)	0.204	0.670	1.362	1.44	
Cannabidivarin (CBDV)	0.113	0.370	48.278	51.09	
Cannabichromenic Acid (CBCA)	0.188	0.545	ND	ND	
Cannabichromene (CBC)	0.206	0.596	3.380	3.58	
<b>Total Cannabinoids</b>			<b>130.571</b>	<b>138.17</b>	
Total Potential THC**			2.839	3.00	
Total Potential CBD**			69.404	73.44	

Prepared by:   
Sam Smith  
7-Nov-22  
2:57 PM

Approved by:   
Karen Winternheimer  
7-Nov-22  
3:01 PM

PREPARED BY / DATE

APPROVED BY / DATE

### Definitions

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

\*\* Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa \*(0.877)) and

Total CBD = CBD + (CBDa \*(0.877))

Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01




Certificate #4329.02

AG-2211-BLT

<b>Batch ID:</b>	LB-O-60328	<b>Test ID:</b>	T000228610
<b>Type:</b>	Concentrate	<b>Submitted:</b>	11/22/2022 @ 09:58 AM
<b>Test:</b>	Terpenes	<b>Started:</b>	11/25/2022
<b>Method:</b>	TM22 (GC-MS)	<b>Reported:</b>	11/28/2022

## TERPENE PROFILE



Compound	%(w/w)	mg/g
(-)-alpha-Bisabolol	0.1786	1.786
Camphene	0.0000	0.000
delta-3-Carene	0.0000	0.000
beta-Caryophyllene	0.2223	2.223
(-)-Caryophyllene Oxide	0.0733	0.733
p-Cymene	0.0000	0.000
Eucalyptol	0.0013	0.013
Geraniol	0.0000	0.000
alpha-Humulene	0.0762	0.762
(-)-Isopulegol	0.0000	0.000
d-Limonene	0.0063	0.063
Linalool	0.0000	0.000
beta-Myrcene	0.0021	0.021
cis-Nerolidol	0.0000	0.000
trans-Nerolidol	0.0168	0.168
Ocimene	0.0000	0.000
beta-Ocimene	0.0000	0.000
alpha-Pinene	0.0000	0.000
(-)-beta-Pinene	0.0000	0.000
alpha-Terpinene	0.0000	0.000
gamma-Terpinene	0.0000	0.000
Terpinolene	0.0000	0.000
<b>Total</b>	<b>0.5769</b>	<b>5.769</b>

## PREDOMINANT TERPENES

alpha-Pinene	0.0000
(-)-beta-Pinene	0.0000
beta-Myrcene	0.0021
delta-3-Carene	0.0000
alpha-Terpinene	0.0000
d-Limonene	0.0063
Linalool	0.0000
beta-Caryophyllene	0.2223
alpha-Humulene	0.0762
(-)-alpha-Bisabolol	0.1786

## NOTES:

N/A

## FINAL APPROVAL

  
Sam Smith  
28-Nov-2022  
3:42 PM

  
Karen Winternheimer  
28-Nov-2022  
3:45 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02

Prepared for:

**AG-2211-BLT**

**Aspen Green**

Batch ID or Lot Number: <b>LB-O-60328</b>	Test: <b>Pesticides</b>	Reported: <b>11/10/22</b>	Location: 3700 Quebec St STE 100-110 Denver, CO 80207
--	----------------------------	------------------------------	---

Matrix: Concentrate	Test ID: T000226698	Started: 11/9/22	USDA License: N/A
------------------------	------------------------	---------------------	----------------------

Status: N/A	Method: TM17(LC-QQQ LC MS/MS):	Received: 11/03/2022 @ 10:06 AM	Sampler ID: N/A
----------------	-----------------------------------	------------------------------------	--------------------

## PESTICIDE DETERMINATION

Compound	LOQ (ppb)	Result (ppb)	Compound	LOQ (ppb)	Result (ppb)	Compound	LOQ (ppb)	Result (ppb)
Acephate	40	ND	Fenoxycarb	41	ND	Paclobutrazol	41	ND
Acetamiprid	37	ND	Fipronil	31	ND	Permethrin	276	ND
Abamectin	257	ND	Flonicamid	42	ND	Phosmet	42	ND
Azoxystrobin	41	ND	Fludioxonil	298	ND	Prophos	275	ND
Bifenazate	41	ND	Hexythiazox	41	ND	Propoxur	40	ND
Boscalid	33	ND	Imazalil	265	ND	Pyridaben	281	ND
Carbaryl	38	ND	Imidacloprid	43	ND	Spinosad A	32	ND
Carbofuran	40	ND	Kresoxim-methyl	150	ND	Spinosad D	46	ND
Chlorantraniliprole	43	ND	Malathion	285	ND	Spiromesifen	257	ND
Chlorpyrifos	500	ND	Metalaxyl	40	ND	Spirotetramat	265	ND
Clofentezine	270	ND	Methiocarb	39	ND	Spiroxamine 1	18	ND
Diazinon	281	ND	Methomyl	36	ND	Spiroxamine 2	22	ND
Dichlorvos	281	ND	MGK 264 1	164	ND	Tebuconazole	279	ND
Dimethoate	38	ND	MGK 264 2	105	ND	Thiacloprid	40	ND
E-Fenpyroximate	272	ND	Myclobutanil	13	ND	Thiamethoxam	36	ND
Etofenprox	40	ND	Naled	53	ND	Trifloxystrobin	42	ND
Etoxazole	284	ND	Oxamyl	1500	ND			

 Karen Winternheimer  
11/10/2022  
12:28:00 PM

 Sam Smith  
11/10/2022  
12:30:00 PM

PREPARED BY / DATE

APPROVED BY / DATE

### Definitions

LOQ = Limit of Quantification  
ppb = Parts per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02

Prepared for:

**AG-2211-BLT**
**Aspen Green**

Batch ID or Lot Number: <b>LB-O-60328</b>	Test: <b>Metals</b>	Reported: <b>11/7/22</b>	Location: 3700 Quebec St STE 100-110 Denver, CO 80207
--	------------------------	-----------------------------	---

Matrix: Other	Test ID: T000226700	Started: 11/4/22	USDA License: N/A
------------------	------------------------	---------------------	----------------------

Status: Active	Method: TM19 (ICP-MS): Heavy Metals	Received: 11/03/2022 @ 10:06 AM	Sampler ID: N/A
-------------------	--	------------------------------------	--------------------

## HEAVY METALS DETERMINATION

Compound	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.042 - 4.23	ND	
Cadmium	0.041 - 4.13	ND	
Mercury	0.041 - 4.11	ND	
Lead	0.040 - 4.05	ND	


 Sam Smith  
 7-Nov-22  
 9:00 AM

PREPARED BY / DATE


 Karen Winterheimer  
 7-Nov-22  
 9:04 AM

APPROVED BY / DATE

### Definitions

ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.



Certificate #4329.02

Prepared for:

**AG-2211-BLT**

**Aspen Green**

Batch ID or Lot Number: <b>LB-O-60328</b>	Test: <b>Microbial Contaminants</b>	Reported: <b>11/7/22</b>	Location: 3700 Quebec St STE 100-110 Denver, CO 80207
Matrix: General/Other	Test ID: T000226699	Started: 11/3/22	USDA License: N/A
Status: Active	Methods: TM25 (qPCR) TM24, TM26, TM27(Culture Plating): Microbial	Received: 11/03/2022 @ 10:06 AM	Sampler ID: N/A

## MICROBIAL CONTAMINANTS DETERMINATION

Contaminant	Method	LOD	QUANTITATION RANGE	Result	Notes
<b>Total Aerobic Count*</b>	TM-26, Culture Plating	10 <sup>2</sup> CFU/g	2.0x10 <sup>3</sup> - 3.0x10 <sup>5</sup> CFU/g	None Detected	Free from visual mold, mildew, and foreign matter
<b>Total Coliforms*</b>	TM-27, Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup> CFU/g	None Detected	
<b>Total Yeast and Mold*</b>	TM-24, Culture Plating	10 <sup>1</sup> CFU/g	2.0x10 <sup>2</sup> - 3.0x10 <sup>4</sup> CFU/g	None Detected	
<b>STEC</b>	TM-25, PCR	10 <sup>0</sup> CFU/25 g	N/A	Absent	
<b>Salmonella</b>	TM-25, PCR	10 <sup>0</sup> CFU/25 g	N/A	Absent	

*Brianne Maillot*  
Brianne Maillot  
11/7/2022  
10:43:00 AM

*Eden Thompson*  
Eden Thompson-Wright  
11/7/2022  
3:00:00 PM

PREPARED BY / DATE

APPROVED BY / DATE

### Definitions

LOD = Limit of Detection | LLOQ = Lower Limit of Quantitation | ULOQ = Upper Limit of Quantitation

CFU/g = Colony Forming Units per Gram | STEC = Shiga Toxin-Producing *E. coli*

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples:  
10<sup>2</sup> = 100 CFU  
10<sup>3</sup> = 1,000 CFU  
10<sup>4</sup> = 10,000 CFU  
10<sup>5</sup> = 100,000 CFU

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



CDPHE Certified



Certificate #4329.02

Prepared for:

**AG-2211-BLT**

**Aspen Green**

Batch ID or Lot Number: <b>LB-O-60328</b>	Test: <b>Mycotoxins</b>	Reported: <b>11/9/22</b>	Location: 3700 Quebec St STE 100-110 Denver, CO 80207
Matrix: Concentrate	Test ID: T000226702	Started: 11/8/22	USDA License: N/A
Status: Active	Method: TM18 (UHPLC-QQQ LCMS/MS): Mycotoxins	Received: 11/03/2022 @ 10:06 AM	Sampler ID: N/A

### MYCOTOXIN DETERMINATION

Compound	Dynamic Range (ppb)	Result (ppb)	Notes
Ochratoxin A	4 - 132.2	ND	N/A
Aflatoxin B1	1 - 32.8	ND	
Aflatoxin B2	1 - 33.1	ND	
Aflatoxin G1	1 - 33.2	ND	
Aflatoxin G2	1 - 33.6	ND	
<b>Total Aflatoxins (B1, B2, G1, and G2)</b>		ND	

  
 Sam Smith  
 9-Nov-22  
 7:30 AM

PREPARED BY / DATE

  
 Karen Winterheimer  
 9-Nov-22  
 7:36 AM

APPROVED BY / DATE

### Definitions

ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02

Prepared for:

**AG-2211-BLT**

**Aspen Green**

Batch ID or Lot Number: <b>LB-O-60328</b>	Test: <b>Residual Solvents</b>	Reported: <b>11/9/22</b>	Location: 3700 Quebec St STE 100-110 Denver, CO 80207
Matrix: N/A	Test ID: T000226701	Started: 11/9/22	USDA License: N/A
Status: Active	Methods: TM04 (GC-MS): Residual Solvents	Received: 11/03/2022 @ 10:06 AM	Sampler ID: N/A

## RESIDUAL SOLVENTS DETERMINATION

Solvent	Dynamic Range (ppm)	Result (ppm)	Notes
<b>Propane</b>	87 - 1745	*ND	
<b>Butanes</b> (Isobutane, n-Butane)	173 - 3459	*ND	
<b>Methanol</b>	58 - 1166	*ND	
<b>Pentane</b>	97 - 1947	*ND	
<b>Ethanol</b>	96 - 1924	*ND	
<b>Acetone</b>	99 - 1972	*ND	
<b>Isopropyl Alcohol</b>	106 - 2121	*ND	
<b>Hexane</b>	6 - 119	*ND	
<b>Ethyl Acetate</b>	101 - 2013	*ND	
<b>Benzene</b>	0.2 - 4.2	*ND	
<b>Heptanes</b>	102 - 2042	*ND	
<b>Toluene</b>	18 - 354	*ND	
<b>Xylenes</b> (m,p,o-Xylenes)	129 - 2585	*ND	

 Sam Smith  
9-Nov-22  
1:56 PM

 Karen Winternheimer  
9-Nov-22  
1:57 PM

PREPARED BY / DATE

APPROVED BY / DATE

### Definitions

\* ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02