



AG-CO-2007-004

Batch ID:		Test ID:	4622022.0031
Reported:	21-Jul-2020	Method:	TM14
Type:	Solution		
Test:	Potency		

CANNABINOID PROFILE


Compound	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.36	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.18	1.90	2.0
Cannabidiolic acid (CBDA)	0.78	ND	ND
Cannabidiol (CBD)	0.43	64.80	68.5
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.20	ND	ND
Cannabinolic Acid (CBNA)	0.50	ND	ND
Cannabinol (CBN)	0.22	ND	ND
Cannabigerolic acid (CBGA)	0.32	ND	ND
Cannabigerol (CBG)	0.18	1.40	1.4
Tetrahydrocannabivarinic Acid (THCVA)	0.31	ND	ND
Tetrahydrocannabivarin (THCV)	0.16	ND	ND
Cannabidivarinic Acid (CBDVA)	0.72	ND	ND
Cannabidivarin (CBDV)	0.40	ND	ND
Cannabichromenic Acid (CBCA)	0.27	ND	ND
Cannabichromene (CBC)	0.33	2.30	2.4
Total Cannabinoids		70.40	74.29
Total Potential THC**		1.90	1.95
Total Potential CBD**		64.80	68.46


NOTES:


Density = 0.9466g/mL

N/A

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)
 * Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
 ** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.
 Total THC = THC + (THCa * (0.877)) and Total CBD = CBD + (CBDa * (0.877))
 ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL


 Tyler Wiese
 21-Jul-2020
 4:22 PM


 Ben Minton
 21-Jul-2020
 5:19 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02




Certificate #4329.02

prepared for: ASPEN GREEN
 26 AVONDALE LANE #216B
 BEAVER CREEK, CO 81620

AG-CO-2007-004

Batch ID:		Test ID:	6823133.0020
Reported:	20-Jul-2020	Method:	TM10
Type:	Concentrate		
Test:	Terpenes		

TERPENE PROFILE




Compound	%(w/w)	mg/g
(-)-alpha-Bisabolol	0.134	1.34
Camphene	0.000	0
delta-3-Carene	0.000	0
beta-Caryophyllene	0.205	2.05
(-)-Caryophyllene Oxide	0.000	0
p-Cymene	0.000	0
Eucalyptol	0.003	0.03
Geraniol	0.000	0
alpha-Humulene	0.080	0.8
(-)-Isopulegol	0.000	0
d-Limonene	0.011	0.11
Linalool	0.008	0.08
beta-Myrcene	0.011	0.11
cis-Nerolidol	0.000	0
trans-Nerolidol	0.000	0
Ocimene	0.000	0
beta-Ocimene	0.000	0
alpha-Pinene	0.000	0
(-)-beta-Pinene	0.000	0
alpha-Terpinene	0.000	0
gamma-Terpinene	0.000	0
Terpinolene	0.000	0
	0.452%	4.52

PREDOMINANT TERPENES

alpha-Pinene	0.000%
(-)-beta-Pinene	0.000%
beta-Myrcene	0.011%
delta-3-Carene	0.000%
alpha-Terpinene	0.000%
d-Limonene	0.011%
Linalool	0.008%
beta-Caryophyllene	0.205%
alpha-Humulene	0.080%
(-)-alpha-Bisabolol	0.134%

 NOTES:
 0

FINAL APPROVAL

 Ryan Weems 20-Jul-2020 4:49 PM	 Greg Zimpfer 20-Jul-2020 7:09 PM
-----------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

AG-CO-2007-004

Batch ID:		Test ID:	1377760.003
Reported:	23-Jul-2020	Method:	TM17
Type:	Concentrate		
Test:	Pesticides		

PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	43 - 2477	ND*	Malathion	291 - 2477	ND*
Acetamiprid	45 - 2477	ND*	Metalaxyl	41 - 2477	ND*
Abamectin	>309	ND*	Methiocarb	44 - 2477	ND*
Azoxystrobin	42 - 2477	ND*	Methomyl	42 - 2477	ND*
Bifenazate	38 - 2477	ND*	MGK 264 1	172 - 2477	ND*
Boscalid	38 - 2477	ND*	MGK 264 2	109 - 2477	ND*
Carbaryl	42 - 2477	ND*	Myclobutanil	43 - 2477	ND*
Carbofuran	44 - 2477	ND*	Naled	44 - 2477	ND*
Chlorantraniliprole	48 - 2477	ND*	Oxamyl	41 - 2477	ND*
Chlorpyrifos	53 - 2477	ND*	Paclobutrazol	45 - 2477	ND*
Clofentezine	282 - 2477	ND*	Permethrin	298 - 2477	ND*
Diazinon	296 - 2477	ND*	Phosmet	43 - 2477	ND*
Dichlorvos	>276	ND*	Prophos	297 - 2477	ND*
Dimethoate	44 - 2477	ND*	Propoxur	43 - 2477	ND*
E-Fenpyroximate	247 - 2477	ND*	Pyridaben	292 - 2477	ND*
Etofenprox	43 - 2477	ND*	Spinosad A	31 - 2477	ND*
Etoxazole	307 - 2477	ND*	Spinosad D	82 - 2477	ND*
Fenoxycarb	>41	ND*	Spiromesifen	>280	ND*
Fipronil	22 - 2477	ND*	Spirotetramat	>279	ND*
Flonicamid	47 - 2477	ND*	Spiroxamine 1	18 - 2477	ND*
Fludioxonil	>301	ND*	Spiroxamine 2	24 - 2477	ND*
Hexythiazox	44 - 2477	ND*	Tebuconazole	289 - 2477	ND*
Imazalil	273 - 2477	ND*	Thiacloprid	44 - 2477	ND*
Imidacloprid	43 - 2477	ND*	Thiamethoxam	44 - 2477	ND*
Kresoxim-methyl	41 - 2477	ND*	Trifloxystrobin	41 - 2477	ND*

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL


 Tyler Wiese
 23-Jul-2020
 3:06 PM

PREPARED BY / DATE



 Ben Minton
 23-Jul-2020
 6:21 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

AG-CO-2007-004

Batch ID:	N/A	Test ID:	T000086381
Reported:	20-Jul-2020	Method:	Concentrate - Test Methods: TM05, TM06
Type:	Concentrate		
Test:	Microbial Contaminants		

MICROBIAL CONTAMINANTS



Contaminant	Result (CFU/g)*
Total Aerobic Count**	None Detected
Total Coliforms**	None Detected
Total Yeast and Molds**	None Detected
<i>E. coli</i>	None Detected
<i>Salmonella</i>	None Detected

* CFU/g = Colony Forming Unit per Gram

** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU

NOTES:

Free from visual mold, mildew, and foreign matter
TYM: None Detected
Total Aerobic: None Detected**FINAL APPROVAL**
Mara Miller
20-Jul-2020
11:28 AM
Greg Zimpfer
20-Jul-2020
2:37 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03



Certificate #4329.03

AG-CO-2007-004


Batch ID:	N/A	Test ID:	T000086384
Reported:	20-Jul-2020	Method:	TM19
Type:	Other		
Test:	Metals		

HEAVY METALS

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.071 - 7.14	ND
Cadmium	0.070 - 7.05	ND
Mercury	0.072 - 7.22	ND
Lead	0.076 - 7.65	ND


* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL



Ryan Weems
20-Jul-2020
4:59 PM

PREPARED BY / DATE



Greg Zimpfer
20-Jul-2020
6:48 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

AG-CO-2007-004

Batch ID:		Test ID:	T000086380
Reported:	20-Jul-2020	Method:	TM04
Type:	Concentrate		
Test:	Residual Solvents		


RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
Propane	91 - 1816	*ND
Butanes (Isobutane, n-Butane)	168 - 3357	*ND
Methanol	61 - 1228	*ND
Pentane	96 - 1915	*ND
Ethanol	97 - 1938	*ND
Acetone	99 - 1981	*ND
Isopropyl Alcohol	107 - 2133	*ND
Hexane	6 - 126	*ND
Ethyl Acetate	94 - 1890	*ND
Benzene	0.2 - 3.6	*ND
Heptanes	91 - 1827	*ND
Toluene	18 - 365	*ND
Xylenes (m,p,o-Xylenes)	133 - 2656	*ND

* ND = None Detected (Defined by Dynamic Range of the method)


NOTES:
N/A

FINAL APPROVAL



Tyler Wiese
20-Jul-2020
7:26 PM

PREPARED BY / DATE



Greg Zimpfer
20-Jul-2020
7:32 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02