

Concord Transfusion

Sample ID: SA-250701-64420
 Batch: CT05-2506
 Type: Finished Product - Ingestible
 Matrix: Oil / Liquid - Beverage
 Unit Mass (g):

Received: 07/02/2025
 Completed: 07/14/2025

Client

Aspen Green
 830 A1A N Suite 620
 Ponte Vedra Beach, FL 32082
 USA
 Lic. #: 2025-R-2139506



Summary

Test

Cannabinoids
 Foreign Matter
 Heavy Metals
 Microbials
 Mycotoxins
 Pesticides
 Residual Solvents

Date Tested

07/09/2025
 07/02/2025
 07/08/2025
 07/11/2025
 07/09/2025
 07/14/2025
 07/10/2025

Status

Tested
 Tested
 Tested
 Tested
 Tested
 Tested
 Tested

0.0134 mg/mL

Total Δ9-THC

0.0134 mg/mL

Δ9-THC

0.0134 mg/mL

Total Cannabinoids

Not Tested

Moisture Content

Not Detected

Foreign Matter

Yes

 Internal Standard
 Normalization



Generated By: Ryan Bellone
 Commercial Director
 Date: 07/14/2025



Concord Transfusion

Sample ID: SA-250701-64420
 Batch: CT05-2506
 Type: Finished Product - Ingestible
 Matrix: Oil / Liquid - Beverage
 Unit Mass (g):

Received: 07/02/2025
 Completed: 07/14/2025

Client

Aspen Green
 830 A1A N Suite 620
 Ponte Vedra Beach, FL 32082
 USA
 Lic. #: 2025-R-2139506

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND	ND
CBCA	0.00181	0.00543	ND	ND	ND
CBCV	0.0006	0.0018	ND	ND	ND
CBD	0.00081	0.00242	ND	ND	ND
CBDA	0.00043	0.0013	ND	ND	ND
CBDV	0.00061	0.00182	ND	ND	ND
CBDVA	0.00021	0.00063	ND	ND	ND
CBG	0.00057	0.00172	ND	ND	ND
CBGA	0.00049	0.00147	ND	ND	ND
CBL	0.00112	0.00335	ND	ND	ND
CBLA	0.00124	0.00371	ND	ND	ND
CBN	0.00056	0.00169	ND	ND	ND
CBNA	0.0006	0.00181	ND	ND	ND
CBT	0.0018	0.0054	ND	ND	ND
Δ4,8-iso-THC	0.0067	0.02	ND	ND	ND
Δ8-iso-THC	0.0067	0.02	ND	ND	ND
Δ8-THC	0.00104	0.00312	ND	ND	ND
Δ8-THC acetate			ND	ND	ND
Δ8-THCP			ND	ND	ND
Δ8-THCV	0.0067	0.02	ND	ND	ND
Δ9-THC	0.00076	0.00227	0.0134	0.00132	4.76
Δ9-THC acetate			ND	ND	ND
Δ9-THCA	0.00084	0.00251	ND	ND	ND
Δ9-THCP			ND	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND	ND
exo-THC	0.0067	0.02	ND	ND	ND
(6aR,9R,10aR)-HHC			ND	ND	ND
(6aR,9S,10aR)-HHC			ND	ND	ND
Total Δ9-THC			0.0134	0.00132	4.76
Total			0.0134	0.00132	4.76

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



Generated By: Ryan Bellone
 Commercial Director
 Date: 07/14/2025



Tested By: Kelsey Rogers
 Scientist
 Date: 07/09/2025



ISO/IEC 17025:2017 Accredited
 Accreditation #108651





KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

3 of 7

Concord Transfusion

Sample ID: SA-250701-64420
Batch: CT05-2506
Type: Finished Product - Ingestible
Matrix: Oil / Liquid - Beverage
Unit Mass (g):

Received: 07/02/2025
Completed: 07/14/2025

Client

Aspen Green
830 A1A N Suite 620
Ponte Vedra Beach, FL 32082
USA
Lic. #: 2025-R-2139506

Heavy Metals by ICP-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Arsenic	0.002	0.02	ND
Cadmium	0.001	0.02	ND
Lead	0.002	0.02	ND
Mercury	0.012	0.05	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone
Commercial Director
Date: 07/14/2025

Tested By: Natalia Wright
Laboratory Technician
Date: 07/08/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

Concord Transfusion

Sample ID: SA-250701-64420
 Batch: CT05-2506
 Type: Finished Product - Ingestible
 Matrix: Oil / Liquid - Beverage
 Unit Mass (g):

Received: 07/02/2025
 Completed: 07/14/2025

Client
 Aspen Green
 830 A1A N Suite 620
 Ponte Vedra Beach, FL 32082
 USA
 Lic. #: 2025-R-2139506

Pesticides by LC-MS/MS and GC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
Abamectin	30	100	ND	Hexythiazox	30	100	ND
Acephate	30	100	ND	Imazalil	30	100	ND
Acetamiprid	30	100	ND	Imidacloprid	30	100	ND
Aldicarb	30	100	ND	Kresoxim methyl	30	100	ND
Azoxystrobin	30	100	ND	Malathion	30	100	ND
Bifenazate	30	100	ND	Metaxyl	30	100	ND
Bifenthrin	30	100	ND	Methiocarb	30	100	ND
Boscalid	30	100	ND	Methomyl	30	100	ND
Captan	30	100	ND	Mevinphos	30	100	ND
Carbaryl	30	100	ND	Myclobutanil	30	100	ND
Carbofuran	30	100	ND	Oxamyl	30	100	ND
Chloranthraniliprole	30	100	ND	Paclobutrazol	30	100	ND
Chlordane	30	100	ND	Parathion methyl	30	100	ND
Chlorfenapyr	30	100	ND	Pentachloronitrobenzene	30	100	ND
Chlorpyrifos	30	100	ND	Permethrin	30	100	ND
Clofentezine	30	100	ND	Phosmet	30	100	ND
Coumaphos	30	100	ND	Piperonyl Butoxide	30	100	ND
Cyfluthrin	30	100	ND	Prallethrin	30	100	ND
Diazinon	30	100	ND	Propiconazole	30	100	ND
Dichlorvos	30	100	ND	Propoxur	30	100	ND
Dimethoate	30	100	ND	Pyrethrins	30	100	ND
Dimethomorph	30	100	ND	Pyridaben	30	100	ND
Ethoprophos	30	100	ND	Spinetoram	30	100	ND
Etofenprox	30	100	ND	Spinosad	30	100	ND
Etiozole	30	100	ND	Spiromesifen	30	100	ND
Fenhexamid	30	100	ND	Spirotetramat	30	100	ND
Fenoxycarb	30	100	ND	Spiroxamine	30	100	ND
Fenpyroximate	30	100	ND	Tebuconazole	30	100	ND
Fipronil	30	100	ND	Thiacloprid	30	100	ND
Flonicamid	30	100	ND	Thiamethoxam	30	100	ND
Fludioxonil	30	100	ND	Trifloxystrobin	30	100	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Ryan Bellone
 Commercial Director
 Date: 07/14/2025



Tested By: Anthony Mattingly
 Scientist
 Date: 07/14/2025





KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

5 of 7

Concord Transfusion

Sample ID: SA-250701-64420
Batch: CT05-2506
Type: Finished Product - Ingestible
Matrix: Oil / Liquid - Beverage
Unit Mass (g):

Received: 07/02/2025
Completed: 07/14/2025

Client

Aspen Green
830 A1A N Suite 620
Ponte Vedra Beach, FL 32082
USA
Lic. #: 2025-R-2139506

Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
B1	1	5	ND
B2	1	5	ND
G1	1	5	ND
G2	1	5	ND
Ochratoxin A	1	5	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone
Commercial Director
Date: 07/14/2025

Tested By: Anthony Mattingly
Scientist
Date: 07/09/2025



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

Concord Transfusion

Sample ID: SA-250701-64420
 Batch: CT05-2506
 Type: Finished Product - Ingestible
 Matrix: Oil / Liquid - Beverage
 Unit Mass (g):

Received: 07/02/2025
 Completed: 07/14/2025

Client
 Aspen Green
 830 A1A N Suite 620
 Ponte Vedra Beach, FL 32082
 USA
 Lic. #: 2025-R-2139506

Microbials by PCR and Plating

Analyte	LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)
Total aerobic count	10	560	
Aspergillus flavus	1		Not Detected per 1 gram
Aspergillus fumigatus	1		Not Detected per 1 gram
Aspergillus niger	1		Not Detected per 1 gram
Aspergillus terreus	1		Not Detected per 1 gram
Bile-tolerant gram-negative bacteria	10	ND	
Total coliforms	10	ND	
Generic E. coli	10	ND	
Salmonella spp.	1		Not Detected per 1 gram
Shiga-toxin producing E. coli (STEC)	1		Not Detected per 1 gram
Total yeast and mold count (TYMC)	1		TNTC (>3,000)

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone
 Commercial Director
 Date: 07/14/2025



Tested By: Sara Cook
 Laboratory Technician
 Date: 07/11/2025



Concord Transfusion

Sample ID: SA-250701-64420
 Batch: CT05-2506
 Type: Finished Product - Ingestible
 Matrix: Oil / Liquid - Beverage
 Unit Mass (g):

Received: 07/02/2025
 Completed: 07/14/2025

Client

Aspen Green
 830 A1A N Suite 620
 Ponte Vedra Beach, FL 32082
 USA
 Lic. #: 2025-R-2139506

Residual Solvents by HS-GC-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Acetone	167	500	ND	Ethylene Oxide	0.5	1	ND
Acetonitrile	14	41	ND	Heptane	167	500	ND
Benzene	0.5	1	ND	n-Hexane	10	29	ND
Butane	167	500	ND	Isobutane	167	500	ND
1-Butanol	167	500	ND	Isopropyl Acetate	167	500	ND
2-Butanol	167	500	ND	Isopropyl Alcohol	167	500	ND
2-Butanone	167	500	ND	Isopropylbenzene	167	500	ND
Chloroform	2	6	ND	Methanol	100	300	ND
Cyclohexane	129	388	ND	2-Methylbutane	10	29	ND
1,2-Dichloroethane	0.5	1	ND	Methylene Chloride	20	60	ND
1,2-Dimethoxyethane	4	10	ND	2-Methylpentane	10	29	ND
Dimethyl Sulfoxide	167	500	ND	3-Methylpentane	10	29	ND
N,N-Dimethylacetamide	37	109	ND	n-Pentane	167	500	ND
2,2-Dimethylbutane	10	29	ND	1-Pentanol	167	500	ND
2,3-Dimethylbutane	10	29	ND	n-Propane	167	500	ND
N,N-Dimethylformamide	30	88	ND	1-Propanol	167	500	ND
2,2-Dimethylpropane	167	500	ND	Pyridine	7	20	ND
1,4-Dioxane	13	38	ND	Tetrahydrofuran	24	72	ND
Ethanol	167	500	2370	Toluene	30	89	ND
2-Ethoxyethanol	6	16	ND	Trichloroethylene	3	8	ND
Ethyl Acetate	167	500	<LOQ	Xylenes (o-, m-, and p-)	73	217	ND
Ethyl Ether	167	500	ND				
Ethylbenzene	3	7	ND				

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Ryan Bellone
 Commercial Director
 Date: 07/14/2025



Tested By: Kelsey Rogers
 Scientist
 Date: 07/10/2025

